ELSEVIER

Discrete Applied Mathematics 96–97 (1999) 481–482

DISCRETE APPLIED MATHEMATICS

Author Index

Double Volume 96–97 (1999)

Anthony, M., Accuracy of techniques for the logical analysis of data 247–257
Battiti, R. and M. Protasi, Reactive local search techniques for the maximum k-conjunctive constraint satisfaction problem (*MAX-k-CCSP*) 3–27
Benzaken, C., From logical gates synthesis to chromatic bicritical clutters 259–305
Bioch, J.C., T. Ibaraki and K. Makino, Minimum self-dual decompositions of positive dual-minor Boolean functions 307–326
Büning, H.K. and T. Lettmann, Resolution remains hard under equivalence 139–148
Boros, E., Maximum renamable Horn sub-CNFs 29–40
Chiu, S.Y., L.A. Cox Jr. and X. Sun, Optimal sequential inspections of reliability systems subject to parallel-chain precedence constraints 327–336
Cox, L.A. Jr., see S.Y. Chiu 327–336
Creignou, N. and H. Daude, Satisfiability threshold for random XOR-CNF formulas 41–53
Daude, H., see N. Creignou 41–53
Eiter, T., T. Ibaraki and K. Makino, Bidual Horn functions and extensions 55–88
Ekin, O., P.L. Hammer and A. Kogan, On connected Boolean functions 337–362
Franco, J., J. Goldsmith, J. Schlipf, E. Speckenmeyer and R.P. Swaminathan, An algorithm for the class of pure implicational formulas 89–106
Goerdt, A., A remark on random 2-SAT 107–110
Goldsmith, J., see J. Franco 89–106
Gu, J., The *Multi-SAT* algorithm 111–126
Gurvich, V. and L. Khachiyan, On generating the irredundant conjunctive and disjunctive normal forms of monotone Boolean functions 363–373
Hammer, P.L., see O. Ekin 337–362
Hansen, P., B. Jaumard and G.-B.D. Nguetse, Best second order bounds for two-terminal network reliability with dependent edge failures 375–393
Heusch, P., The complexity of the falsifiability problem for pure implicational formulas 127–138
Hooker, J.N. and M.A. Osorio, Mixed logical linear programming 395–442
Ibaraki, T., see T. Eiter 55–88
Ibaraki, T., see J.C. Bioch 307–326
Ibaraki, T., see K. Makino 443–460
Jaumard, B., see P. Hansen 375–393
Khachiyan, L., see V. Gurvich 363–373
Kogan, A., see O. Ekin 337–362
Kullmann, O., On a generalization of extended resolution 149–176
Lettmann, T., see H.K. Büning 139–148
Makino, K. and T. Ibaraki, Inner-core and outer-core functions of partially defined Boolean functions 443–460
Makino, K., see T. Eiter 55–88
Makino, K., see J.C. Bioch 307–326
Nguetse, G.-B.D., see P. Hansen 375–393
Osorio, M.A., see J.N. Hooker 395–442
Protasi, M., see R. Battiti 3–27
Schlipf, J., see J. Franco 89–106
Speckenmeyer, E., see J. Franco 89–106

Sun, X., see S.Y. Chiu 327–336
Swaminathan, R.P., see J. Franco 89–106
Urquhart, A., The symmetry rule in propositional logic 177–193
Van Gelder, A., Complexity analysis of propositional resolution with autarky pruning 195–221
van Maaren, H., Elliptic approximations of propositional formulae 223–244
Wolkowicz, H. and Q. Zhao, Semidefinite programming relaxations for the graph partitioning problem 461–479
Zhao, Q., see H. Wolkowicz 461–479